

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**





FIGURE 1

Conceptual System Diagram



Figured




FIGURE 3

SHEET 4 OF 21

```
<?xml version="1.0" encoding="utf-8" ?>
- <applications>
-   <application id="0">
      <answer />
      <question>Select an Application</question>
      <parent />
      - <condition cid="1">
          <prompt>Application Method</prompt>
          <choice>Spray</choice>
          <choice>Brush</choice>
          <choice>Gun</choice>
        </condition>
      - <preference pid="3">
          <prompt>Water washout resistance</prompt>
        </preference>
      - <preference pid="4">
          <prompt>Continuous heavy loads</prompt>
        </preference>
      </application>
-   <application id="1">
      <answer>Industrial</answer>
      <question>Which type of industrial?</question>
      <parent>0</parent>
    </application>
-   <application id="2">
      <answer>Automotive</answer>
      <question>What type of automotive?</question>
      <parent>0</parent>
    </application>
+   <application id="4">
-   <application id="5">
      <answer>Wheel bearings</answer>
      <question />
      <parent>2</parent>
      - <condition cid="11">
          <prompt>Operating Conditions</prompt>
          <choice>High temperature</choice>
          <choice>High water exposure</choice>
          <choice>Normal Duty</choice>
        </condition>
      </application>
-   <application id="3">
      <answer>Farm Machinery</answer>
      <question>What type of farm machinery?</question>
      <parent>0</parent>
    </application>
  </applications>
```

400

Fig. 4

SHEET 5 OF 21

<?xml version="1.0" encoding="utf-8" ?>

```
- <greases>
- <grease>
  <name>Grease Product A</name>
  <applications>
    <application>4</application>
    <application>5</application>
  </applications>
  <preferences>
    <preference pid="0">4</preference>
    <preference pid="1">9</preference>
  </preferences>
  <conditions>
    <condition cid="0">
      <Choices>
        <choice>Brush</choice>
        <choice>Gun</choice>
      </Choices>
    </condition>
    <condition cid="1">
      <Choices>
        <choice>High Temperature</choice>
      </Choices>
    </condition>
  </conditions>
</grease>
- <grease>
  <name>Grease Product B</name>
  <applications>
    <application>5</application>
  </applications>
  <preferences>
    <preference pid="0">2</preference>
    <preference pid="1">7</preference>
  </preferences>
  <conditions>
    <condition cid="0">
      <Choices>
        <choice>Spray</choice>
      </Choices>
    </condition>
    <condition cid="1">
      <Choices>
        <choice>Normal Duty</choice>
      </Choices>
    </condition>
  </conditions>
</grease>
</greases>
```

500

Fig. 5.

Expert Tool Flow Chart





FIGURE 6

User Tool Flow Chart

APPLN. FILING DATE: March 12, 2004
TITLE: Product Selection Expert System
INVENTOR(S): ADRIAN D'SOUZA ET AL.
APPLICATION SERIAL NO: T-6346

SHEET 7 OF 21



FIGURE

7

Expert System

Step 1 A new product is added and its appropriate application is checked off in a simple check off box

APPLN. FILING DATE: March 12, 2004
 TITLE: Product Selection Expert System
 INVENTOR(S): ADRIAN D'SOUZA ET AL.
 APPLICATION SERIAL NO: T-6346

SHEET 8 OF 21

860

820

Figure 6

File Add Product Help

Match Product to Application Set Application Details

Applications Conditions Ratings

Enter text for New Grease

New Product

OK Cancel

FM Grease EP NLGI 3

FM Grease EP Aerosol

FM Greases

FM Greases

FM Greases

Mill Lubricant

Moly Grease

Moly Grease

Moly MAX Grease

Moly MAX Grease EP NLGI 2

Open Gear Grease

Open Gear Grease - Aerosol

Open Gear Grease NLGI 2

Open Gear Lubricant 250 NC-HT

Open Gear Lubricants, 100 NC

Open Gear Lubricants, 250 NC

Open Gear Lubricants, 800 NC

RPM Arctic Grease

RPM Automotive LC Grease EP NLGI

RPM Automotive LC Grease EP NLGI

RPM Heavy Duty LC Grease EP NLGI

RPM Heavy Duty LC Grease EP NLGI

Rykon Premium Grease EP

Rykon Premium Grease No. 1364

Rykon Premium Grease No. 1425

Rykolac Grease EP

Sil-X Grease NLGI 1

Sil-X Grease SF

SRI Grease NLGI 2

SRI Grease OEM

Super Penalube Grease

Thread Sealing Compound

Tool Joint Compound

Ulti-Plex Grease EP NLGI 0

Ulti-Plex Grease EP NLGI 1

Ulti-Plex Grease EP NLGI 2

Ulti-Plex HV Synthetic Grease EP

Ulti-Plex Synthetic Grease EP

Ultra-Duty Grease EP NLGI 0

Ultra-Duty Grease EP NLGI 1

Ultra-Duty Grease EP NLGI 2

Beatings

Bail, roller, or needle

Spherical roller bearing

Conveyor belt or roll bearing

Needle bearing

Roller bearing

Ball bearing

Plain (journal) bearing

Conventional grease

Slides, guides, or ways

Gears

Open

Enclosed

Casing and Tubing pipe thread

Flexible Couplings

Gear type

Chain type

Steel Grid

Screws

Cams and cam followers

Drill collars, Drill Stems

Heavy-duty on-highway trucking

Truck wheel bearings

Water pump

Truck chassis (including ball and U-joints)

Kingpin or shackle

Fifth wheel

Passenger Car/Light Truck

Alternator/Generator rebuilders

Wheel bearings

Water pumps - rebuilders

Chassis (including ball & U-joints)

12

22

Figure 9

00

Step 3 - Expert assessments of ratings for each of the products or service in terms of importance to the end user are assigned by experts

File	Add Product	Help	Match Product to Application	Set Application Details
<input type="checkbox"/> Dura-Lith Grease EP NLGI 3	<input type="checkbox"/> FM Grease EP Aerosol	<input type="checkbox"/> FM Greases EP NLGI 0	<input type="checkbox"/> FM Greases EP NLGI 1	<input type="checkbox"/> FM Greases EP NLGI 2
<input type="checkbox"/> Mil Lubricant Light	<input type="checkbox"/> Moly Grease EP NLGI 1	<input type="checkbox"/> Moly Grease EP NLGI 2	<input type="checkbox"/> Moly MAX Grease EP NLGI 1	<input type="checkbox"/> Moly MAX Grease EP NLGI 2
<input type="checkbox"/> Open Gear Grease	<input type="checkbox"/> Open Gear Grease - Aerosol	<input type="checkbox"/> Open Gear Grease NG	<input type="checkbox"/> Open Gear Lubricant 250 NC-HT	<input type="checkbox"/> Open Gear Lubricants, 100 NC
<input type="checkbox"/> Open Gear Lubricants, 250 NC	<input type="checkbox"/> Open Gear Lubricants, 800 NC	<input type="checkbox"/> RPM Arctic Grease	<input type="checkbox"/> RPM Automotive LC Grease EP NLGI	<input type="checkbox"/> RPM Automotive LC Grease EP NLGI
<input type="checkbox"/> RPM Heavy Duty LC Grease EP NLGI	<input type="checkbox"/> RPM Heavy Duty LC Grease EP NLGI	<input type="checkbox"/> Rykon Premium Grease EP	<input type="checkbox"/> Rykon Premium Grease No. 1364	<input type="checkbox"/> Rykon Premium Grease No. 1426
<input type="checkbox"/> Rykotac Grease EP	<input type="checkbox"/> SRI Grease NLGI 1	<input type="checkbox"/> SRI Grease SF	<input type="checkbox"/> SRI Grease NLGI 2	<input type="checkbox"/> Super Permabide Grease
<input type="checkbox"/> Thread Sealing Compound	<input type="checkbox"/> Tool Joint Compound	<input type="checkbox"/> Ulti-Plex Grease EP NLGI 0	<input type="checkbox"/> Ulti-Plex Grease EP NLGI 1	<input type="checkbox"/> Ulti-Plex Grease EP NLGI 2
<input type="checkbox"/> Ulti-Plex HV Synthetic Grease EP	<input type="checkbox"/> Ulti-Plex Synthetic Grease EP	<input type="checkbox"/> Ultra-Duty Grease EP NLGI 0	<input type="checkbox"/> Ultra-Duty Grease EP NLGI 1	<input type="checkbox"/> Ultra-Duty Grease EP NLGI 2

Applications	Conditions	Ratings
<input type="checkbox"/> Good Greases Grease?	<input type="checkbox"/> Industrial water wash resistance?	<input type="checkbox"/> Saltwater resistance?
<input type="checkbox"/> Water wash resistance?	<input type="checkbox"/> Continuous heavy loads?	<input type="checkbox"/> Shockload protection?
<input type="checkbox"/> Low Noise - 0 EMI/RFI motor loads		

810

Figure 10

840

861

870
Programming steps - Addine categories or subcategories is made under each category item, this lists followup questions for the end user

File Edit Help Match Product to Application Set Application Details

☐ Cotton picker spindles

☐ Railroad

 Rail or flange

 Journal (axle) roller bearing

 Traction motor gear

☐ Industrial, Marine, or Food

 Chains

 Wire rope

☐ Bearings

 Ball roller or rise

 Expand All

 Collapse

 Edit

 Add

 Delete

 Spherical roll

 Conveyor be

 Needle bear

 Roller bearing

 Ball bearing

☐ Plain (journal) bearing

 Conventional grease

 Sides, guides, or ways

☐ Gears

 Open

 Enclosed

☐ Casing and Tubing pipe thread

☐ Flexible Couplings

 Gear type

 Chain type

 Steel Grid

 Screws

 Cams and cam followers

 Drill collars, Drill Stems

☐ Heavy-duty, on-highway trucking

 Truck wheel bearings

 Water pump

 Truck chassis (including ball and U-joints)

 Kingpin or shackle

 Fifth wheel

☐ Passenger Car/Light Truck

 Alternator/Generator rebuilders

 Wheel bearings

 Water pumps - rebuilders

 Chassis (including ball & u-joints)

 Constant Velocity Joints

 General Purpose

Answer to previous question

Ball roller or needle

Next question to ask

Which bearing type?

Rating questions

Condition questions:

Approx. bearing diameter

Ball roller, needle rpm

Condition choices

Figure 11

850

401

101 / 120

110 — Step 1: APPLICATION

Select Application

Mobile Farm Machinery
Railroad
Industrial, Marine, or Food
Heavy-duty on-highway truck
Passenger Car/Light Truck
General Purpose
Heavy Duty Off Road

112

Step 2: CONDITIONS

Scrollbar to view all conditions

Step 3: Importance — 130

move cursor on scale of 1-10

Good Chassis Grease? _____

Industrial water rust resistance? _____

Saltwater rust resistance? _____

Water washout resistance? _____

Continuous heavy loads? _____

Shock load protection? _____

Low Noise: OEM El motor brgs _____

150

Search the Web
Chevron Texaco Data Sheets

SELECTED GREASES

Step5: Highlight grease, click web links above, use Grease name in CSEST search

Selected Greases

FIGURE 12

101

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367

368

369

370

371

372

373

374

375

376

377

378

379

380

381

382

383

384

385

386

387

388

389

390

391

392

393

394

395

396

397

398

399

400

401

402

403

404

405

406

407

408

409

410

411

412

413

414

415

416

417

418

419

420

421

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

446

447

448

449

450

451

452

453

454

455

456

457

458

459

460

461

462

463

464

465

466

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

493

494

495

496

497

498

499

500

501

502

503

504

505

506

507

508

509

510

511

512

513

514

515

516

517

518

519

520

521

522

523

524

525

526

527

528

529

530

531

532

533

534

535

536

537

538

539

540

541

542

543

544

545

546

547

548

549

550

551

552

553

554

555

556

557

558

559

560

561

562

563

564

565

566

567

568

569

570

571

572

573

574

575

576

577

578

579

580

581

582

583

584

585

586

587

588

589

590

591

592

593

594

595

596

597

598

599

600

601

602

603

604

605

606

607

608

609

610

611

612

613

614

615

616

617

618

619

620

621

622

623

624

625

626

627

628

629

630

631

632

633

634

635

636

637

638

639

640

641

642

643

644

645

646

647

648

649

650

651

652

653

654

655

656

657

658

659

660

661

662

663

664

665

666

667

668

669

670

671

672

673

674

675

676

677

678

679

680

681

682

683

684

685

686

687

688

689

690

691

692

693

694

695

696

697

698

699

700

701

702

703

704

705

706

707

708

709

710

711

712

713

714

715

716

717

718

719

720

721

722

723

724

725

726

727

728

729

730

731

732

733

734

735

736

737

738

739

740

741

742

743

744

745

746

747

748

749

750

751

752

753

754

755

756

757

758

759

760

761

762

763

764

765

766

767

768

769

770

771

772

773

774

775

776

777

778

779

780

781

782

783

784

785

786

787

788

789

790

791

792

793

794

795

796

797

798

799

800

801

802

803

804

805

806

807

808

809

810

811

812

813

814

815

816

817

818

819

820

821

822

823

824

825

826

827

828

829

830

831

832

833

834

835

836

837

838

839

840

841

842

843

844

845

846

847

848

849

850

851

852

853

854

855

856

857

858

859

860

861

862

863

864

865

866

867

868

869

870

871

872

873

874

875

876

877

878

879

880

881

882

883

884

885

886

887

888

889

890

891

892

893

894

895

896

897

898

899

900

901

902

903

904

905

906

907

908

909

910

911

912

913

914

915

916

917

918

919

920

921

922

923

924

925

926

927

928

929

930

931

932

933

934

935

936

937

938

939

940

941

942

943

944

945

946

947

948

949

950

951

952

953

954

955

956

957

958

959

960

961

962

963

964

965

966

967

968

969

970

971

972

973

974

975

976

977

978

979

980

981

982

983

984

985

986

987

988

989

990

991

992

993

994

995

996

997

998

999

1000

1001

1002

1003

1004

1005

1006

1007

1008

1009

1010

1011

1012

1013

1014

1015

1016

1017

1018

1019

1020

1021

1022

1023

1024

1025

1026

1027

1028

1029

1030

1031

1032

1033

1034

1035

1036

1037

1038

1039

1040

1041

1042

1043

1044

1045

1046

1047

1048

1049

1050

1051

1052

1053

1054

1055

1056

1057

1058

1059

1060

1061

1062

1063

1064

1065

1066

1067

1068

1069

1070

1071

1072

1073

1074

1075

1076

1077

1078

1079

1080

1081

1082

1083

1084

1085

1086

1087

1088

1089

1090

1091

1092

1093

1094

1095

1096

1097

1098

1099

1100

1101

1102

1103

1104

1105

1106

1107

1108

1109

1110

1111

1112

1113

1114

1115

1116

1117

1118

1119

1120

1121

1122

1123

1124

1125

1126

1127

1128

1129

1130

1131

1132

1133

1134

1135

1136

1137

1138

1139

1140

1141

1142

1143

1144

1145

1146

1147

1148

1149

1150

1151

1152

1153

1154

1155

1156

1157

1158

1159

1160

1161

1162

1163

1164

1165

1166

1167

1168

1169

1170

1171

1172

1173

1174

1175

1176

1177

1178

1179

1180

1181

1182

1183

1184

1185

1186

1187

1188

1189

1190

1191

1192

1193

1194

1195

1196

1197

1198

1199

1200

1201

1202

1203

1204

1205

1206

1207

1208

1209

1210

1211

1212

1213

1214

1215

1216

1217

1218

1219

1220

1221

1222

1223

1224

1225

1226

1227

1228

1229

1230

1231

1232

1233

1234

1235

1236

1237

1238

1239

1240

1241

1242

1243

1244

1245

1246

1247

1248

1249

1250

1251

1252

1253

1254

1255

1256

1257

1258

1259

1260

1261

1262

1263

1264

1265

1266

1267

1268

1269

1270

1271

1272

1273

1274

1275

1276

1277

1278

1279

1280

1281

1282

1283

1284

1285

1286

1287

1288

1289

1290

1291

1292

1293

1294

1295

1296

1297

1298

1299

1300

1301

1302

1303

1304

1305

1306

1307

1308

1309

1310

1311

1312

1313

1314

1315

1316

1317

1318

1319

1320

1321

1322

1323

1324

1325

1326

1327

1328

1329

1330

1331

1332

1333

1334

1335

1336

1337

1338

1339

1340

1341

1342

1343

1344

1345

1346

1347

1348

1349

1350

1351

1352

1353

1354

1355

1356

1357

1358

1359

1360

1361

1362

1363

1364

1365

1366

1367

1368

1369

1370

1371

1372

1373

1374

1375

1376

1377

1378

1379

1380

1381

1382

1383

1384

1385

1386

1387

1388

1389

1390

1391

1392

1393

1394

1395

1396

1397

1398

1399

1400

1401

1402

1403

1404

1405

1406

1407

1408

1409

1410

1411

1412

1413

1414

1415

1416

1417

1418

1419

1420

1421

1422

1423

1424

1425

1426

1427

1428

1429

1430

1431

1432

1433

1434

1435

1436

1437

1438

1439

1440

1441

1442

1443

1444

1445

1446

1447

1448

1449

1450

1451

1452

1453

1454

1455

1456

1457

1458

1459

1460

1461

1462

1463

1464

1465

1466

1467

1468

1469

1470

1471

1472

1473

1474

1475

1476

1477

1478

1479

1480

1481

1482

1483

1484

1485

1486

1487

1488

1489

1490

1491

1492

1493

1494

1495

1496

1497

1498

1499

1500

1501

1502

1503

1504

1505

1506

1507

1508

1509

1510

1511

1512

1513

1514

1515

1516

1517

1518

1519

1520

1521

1522

1523

1524

1525

1526

1527

1528

1529

1530

1531

1532

1533

1534

1535

1536

1537

1538

1539

1540

1541

1542

1543

1544

1545

1546

1547

1548

1549

1550

1551

1552

1553

1554

1555

1556

1557

1558

1559

1560

1561

1562

1563

1564

1565

15

101

112

114

116

110

130

120

Step 1: APPLICATION

Select Application

Mobile Farm Machinery
Railroad
Industrial Marine or Food
Heavy-duty on-highway truck
Passenger Car/Light Truck
General Purpose
Heavy Duty (Off Road)

Which category of application?

Chains
Wire rope
Bearings
Slides, guides, or ways
Gears
Casing and Tubing pipe fittings
Flexible Couplings

Which kind of bearing?

Ball, roller, or needle
Plain (journal) bearing

Step 2: CONDITIONS

Scrollbar to view all conditions

Good Chassis Grease?
Industrial water rust resistance?
Saltwater rust resistance?
Water washout resistance?
Continuous heavy loads?
Shock load protection?
Low Noise - OEM/EI motor brgs

Step 3: Importance

move cursor on scale of 1-10

Search the Web
Chevron
Texaco
Data Sheelis

SELECTED GREASES

Step 5: Highlight grease, click web links above, use Grease name in CBEST search

Selected Greases

FIGURE 14

Step 1: APPLICATION

Select Application:

Mobile Farm Machinery
Railroad
Industrial Marine or Food
Heavy-duty on-highway truck
Passenger Car/Light Truck
General Purpose
Heavy Duty Off Road

Which category of application:

Chains
Wire rope
Bearings
Slides, guides, or ways
Gears
Casting and Tubing pipe fittings
Pneumatic Conveyors

Which kind of bearing?

Ball roller or needle
Plain (journal) bearing

Which bearing type?

Spherical roller bearing
Conveyor belt or roll bearing
Needle bearing
Roller bearing
Ball bearing

Step 2: CONDITIONS

Scrollbar to view all conditions

Step 3: Importance

move cursor on scale of 1-10

Good Chassis Grease? _____

Industrial water rust resistance? _____

Saltwater rust resistance? _____

Water washout resistance? _____

Continuous heavy loads? _____

Shock load protection? _____

Low Noise - OEM El motor brgs? _____

Selected Greases

Search the Web
Chevron Texaco Data Sheets
SELECTED GREASES
Step5: Highlight grease, click web links above, use Grease name in CBEST search

FIGURE 15

150

Step 1: APPLICATION

Select Application

Mobile Farm Machinery
Railroad
Industrial Marine or Food
Heavy-duty on-highway truck
Passenger Car/Light Truck
General Purpose
Heavy Duty Off Road
Agriculture

Which category of application?

Chains
Wire rope
Bearings
Slides, guides, or ways
Gears
Casing and Tubing pipe th
Pneumatic Conduits

Which kind of bearing?

Ball, roller or needle
Plain (journal) bearing

Which bearing type?

Spherical roller bearing
Conveyor belt or roll bearing
Needle bearing
Roller bearing
Ball bearing

Step 2: CONDITIONS

Scrollbar to view all conditions

Select Application Method

Spray Gun
Manual
Single Point auto-lubricator
Central system
Grease gun
Aerosol spray
Other, like container pumps

Moly required?

5%
3%
Less than 3%
No

Heavy loads requiring EP?

Yes
No

Food machinery application?

NSF H1: incidental food contact
NSF H2: Non food contact

Approx. bearing diameter

Greater than 6 inches
3 to 6 inches
Less than 3 inches

Ball, roller, needle rpm

Greater than 5000 RPM
2000 to 5000 RPM
500 to 2000 RPM
Less than 500 RPM

Step 3: Importance

move cursor on scale of 1-10

Good Chassis Grease?

Industrial water rust resistance?

Saltwater rust resistance?

Water washout resistance?

Continuous heavy loads?

Shock load protection?

Low Noise: OEM El motor brgs

Step 4: Printable Report

GO

Enter Optional Customer Name for report

Search the Web

ChevronTexaco Data Sheets

SELECTED GREASES

Steps: Highlight grease, click web links above, use Grease name in CBEST search

Selected Greases

0	Rykolac Grease EP
0	Super Permalube Grease
0	RPM Arctic Grease
0	SRI Grease NLGI 2
0	SRI Grease OEM
0	Uli-Plex Synthetic Grease EP
0	Uli-Plex HV Synthetic Grease EP
0	Moly Grease EP NLGI 1
0	Moly Grease EP NLGI 2
0	Dura-Lith Grease EP NLGI 0
0	Dura-Lith Grease EP NLGI 1
0	Dura-Lith Grease EP NLGI 2
0	Delo Grease EP NLGI 00
0	Delo Grease EP NLGI 0
0	Delo Grease EP NLGI 1
0	Delo Grease EP NLGI 2
0	Uli-Plex Grease EP NLGI 0
0	Uli-Plex Grease EP NLGI 1
0	Uli-Plex Grease EP NLGI 2
0	Ultra-Duty Grease EP NLGI 0
0	Ultra-Duty Grease EP NLGI 1
0	Ultra-Duty Grease EP NLGI 2
0	RPM Heavy Duty LC Grease EP NL
0	RPM Heavy Duty LC Grease EP NL
0	Moly MAX Grease EP NLGI 1

FIGURE 16

FILE HELP

Step 1: APPLICATION

Select Application:
Mobile Farm Machinery
Railroad
Industrial Marine or Food
Heavy-duty on-highway truck
Passenger Car/Light Truck
General Purpose
Heavy Duty Off Road
[OK]

Which category of application:
Chains
Wire rope
Bearings
Slides, guides, or ways
Gears
Casing and Tubing pipe th
Pneumatic Conduits
[OK]

Which kind of bearing?
Ball, roller or needle
Plain (journal) bearing

Which bearing type?
Spherical roller bearing
Conveyor belt or roller bearing
Needle bearing
Roller bearing
Ball bearing

Step 2: CONDITIONS
Scrollbar to view all conditions

Select Application Method:
Spray Gun
Manual
Single Point auto-lubricator
Central System
Grease gun
Aerosol spray
Other, like container pumps

Moly required?
5%
3%
No

Heavy Loads requiring EP?
Yes
No

Food machinery application?
NSF H1: incidental food contact
NSF H2: Non food contact

Approx. bearing diameter:
Greater than 6 inches
3 to 6 inches
Less than 3 inches

Ball, roller, needle rpm:
Greater than 5000 RPM
2000 to 5000 RPM
500 to 2000 RPM
Less than 500 RPM

Step 3: Importance
move cursor on scale of 1-10

Good Chassis Grease? _____
Industrial water rust resistance? _____
Saltwater rust resistance? _____
Water washout resistance? _____
Continuous heavy loads? _____
Shock load protection? _____
Low Noise - OEM El motor brgs _____

Step 4: Printable Report [GO]

Enter Optional Customer Name for report: _____

Search the Web
ChevronTexaco Data Sheets

SELECTED GREASES
Step 5: Highlight grease, click web links above, use Grease name in CBEST search

Selected Greases

0	Rykolac Grease EP
0	Super Permalube Grease
0	RPM Arctic Grease
0	SRI Grease NLGI 2
0	SRI Grease OEM
0	Uli-Plex Synthetic Grease EP
0	Moly Grease EP NLGI 1
0	Moly Grease EP NLGI 2
0	Dura-Lith Grease EP NLGI 0
0	Dura-Lith Grease EP NLGI 1
0	Delo Grease EP NLGI 00
0	Delo Grease EP NLGI 0
0	Delo Grease EP NLGI 1
0	Uli-Plex Grease EP NLGI 0
0	Uli-Plex Grease EP NLGI 1
0	Ultra-Duty Grease EP NLGI 0
0	Ultra-Duty Grease EP NLGI 1
0	RPM Heavy Duty LC Grease EP NL
0	Moly MAX Grease EP NLGI 1
0	Black Pearl EP Grease EP NLGI 0
0	Black Pearl Grease EP NLGI 1
0	FM Greases EP NLGI 0
0	FM Greases EP NLGI 1
0	Ryton Premium Grease EP

FIGURE 17

File Help

Step 1: APPLICATION

Select Application:
Mobile Farm Machinery
Railroad
Industrial, Marine, or Food
Heavy-duty on-highway truck
Passenger Car/Light Truck
General Purpose
Heavy Duty Off Road

Which category of application:
Chains
Wire rope
Bearings
Slides, guides, or ways
Gears
Casing and Tubing pipe fittings
Flexible Couplings

Which kind of bearing?
Ball, roller, or needle
Plain (journal) bearing

Which bearing type?
Spherical roller bearing
Conveyor belt or roll bearing
Needle bearing
Roller bearing
Ball bearing

Step 2: CONDITIONS
Scrollbar to view all conditions

Select Application Method:
Spray Gun
Manual
Single Point auto-lubricator
Central System
Grease gun
Aerosol spray
Other, like container pumps

Moly required?
5%
3%
Less than 3%
No

Heavy Loads requiring EP?
Yes
No

Food machinery application?
NSF H1: Incidental food contact
NSF H2: Non food contact

Approx. bearing diameter:
Greater than 6 inches
3 to 6 inches
Less than 3 inches

Ball, roller, needle rpm:
Greater than 5000 RPM
2000 to 5000 RPM
500 to 2000 RPM
Less than 500 RPM

Step 3: Importance
move cursor on scale of 1-10

Good Chassis Grease? _____

Industrial water rust resistance? _____

Saltwater rust resistance? _____

Water washout resistance? _____

Continuous heavy loads? _____

Shock load protection? _____

Low Noise: OEM El motor brgs _____

Step 4: Printable Report **GO**

Enter Optional Customer Name for report _____

Search the Web
Chevron Texaco Data Sheets

SELECTED GREASES
Step 5: Highlight grease, click web links above, use Grease name in CBEST search

Selected Greases

0	Moly Grease EP NLGI 1
0	Moly Grease EP NLGI 2
0	RPM Heavy Duty LC Grease EP NL
0	Moly MAX Grease EP NLGI 1

150

FIGURE 18

Step 1: APPLICATION

Select Application: **Industrial Marine or Food**

Which category of application:
 Chains **Wire rope**
 Bearings **Ball, roller or needle**
 Slides, guides, or ways **Plain (journal) bearing**
 Gears **Spherical roller bearing**
 Casing and tubing pipe th **Conveyor belt or roll bearing**
 Flexible Couplings **Needle bearing**

Step 2: CONDITIONS

Select Application Method: **Central system**

Moly required? **Less than 3%**

Heavy Loads requiring EP? **No**

Food machinery application? **NSF H1 incidental food contact**

Approx. bearing diameter: **Greater than 6 inches**

Ball/roller, needle rpm: **Greater than 5000 RPM**

Step 3: Importance

Good Chassis Grease? **1**

Industrial water rust resistance? **1**

Saltwater rust resistance? **1**

Water washout resistance? **1**

Continuous heavy loads? **1**

Shock load protection? **1**

Low Noise-QEM EI motor brgs **1**

Step 4: Printable Report

Enter Optional Customer Name for report: **150**

Search the Web: **ChevronTexaco Data Sheets**

SELECTED GREASES

Step 5: Highlight grease, click web links above, use Grease name in CBEST search

Selected Greases

0	Moly Grease EP NLGI 1
0	Moly Grease EP NLGI 2
0	Moly MAX Grease EP NLGI 1

FIGURE 19

File Help

Step 1: APPLICATION

Select Application: Mobile Farm Machinery, Railroad, Industrial, Marine, or Food, Heavy-duty on-highway truck, Passenger Car/Light Truck, General Purpose, Heavy Duty Off Road

Which category of application? Chains, Wire rope, Bearings, Slides, guides, or ways, Gears, Casing and Tubing pipe th, Flexible Couplings

Which kind of bearing? Ball roller or needle, Plain (journal) bearing

Which bearing type? Spherical roller bearing, Conveyor belt or roller bearing, Needle bearing, Roller bearing, Ball bearing

Step 2: CONDITIONS

Scrollbar to view all conditions

Select Application Method: Spray Gun, Manual, Single Point auto-lubricator, Central system, Grease gun, Aerosol spray, Other, like container pumps

Moly required? 5%, 3%, Less than 3%, No

Heavy Loads requiring EP? Yes, No

Food machinery application? NSF H1: Incidental food contact, NSF H2: Non food contact

Approx. bearing diameter: Greater than 6 inches, 3 to 6 inches, Less than 3 inches

Ball roller, needle rpm: Greater than 5000 RPM, 2000 to 5000 RPM, 500 to 2000 RPM, Less than 500 RPM

Step 3: Importance

move cursor on scale of 1-10

Good Chassis Grease? 6

Industrial water rust resistance? 3

Saltwater rust resistance? 5

Water washout resistance? 5

Continuous heavy loads? 5

Shock load protection? 5

Low Noise- OEM B motor brgs

Step 4: Printable Report

GO

Enter Optional Customer Name for report: 154, 150

Search the Web: ChevronTexaco Data Sheets

SELECTED GREASES

Step 5: Highlight grease, click web links above, use Grease name in CREST search

Selected Greases

99	Moly Grease EP NLGI 1
99	Moly Grease EP NLGI 2
101	Moly MAX Grease EP NLGI 1

FIGURE 20

User full page showing all customer choices on single screen, with final scoring system for multiple products that varies – products listed in scoring table are based on user choices for application and conditions, relative scores of these products in the final table dependent on ratings ie importance to the end user

Fig. 2.1

150

148

154

Step 1: APPLICATION

Select Application: Nuclear Power Plant, Railroad, Industrial Machine or Food, Passenger Car & Light Tru, Mobile Farm Machinery, Heavy-duty Truck or Off E, General Purpose

Which kind of application? Chain, Wire rope, Sides guides or ways, Bearings, Gears, Flexible Couplings, Screws

Which kind of bearing? Ball roller, or needle, Plain (journal) bearing

Which bearing type? Ball bearing, Spherical roller bearing, Conveyor belt or roll bearing, Needle bearing, Roller bearing

Step 2: CONDITIONS

Select Low temp operating: 11 to 40F, 20 to 0F, 40 to -21F, Below -40F

Select the highest operating: above 350F, 301 to 350F, 231 to 300F, 213 to 260F, 175 to 212F

Select Application Method: Spray Gun, Brush, Single Point auto-lubricator, Central System, Grease gun, Aerosol spray

Moly required? 5%, 3%, No

Heavy loads requiring EP? Yes, No

Food application: NSF H1 Certification: Incident, NSF H2 Certification: Non food

Step 3: RATING

move cursor on scale of 1-10

Good Chassis Grease? 10

Industrial water rust resistance? 7

Saltwater rust resistance? 5

Water washout resistance? 8

Continuous heavy loads? 2

Shock load protection? 2

Grease noise in bearings? 10

Step 4: Printable Report

John Doe Product end user

Search the Web

ChevronTexaco Data Sheets

SELECTED GREASES

Step 5: Highlight grease, click on web links above

Selected Greases:

132	Rykolac Grease EP
141	Super Permalube Grease
173	IRPM Arctic Grease
190	SRI Grease NLGI 2
190	SRI Grease OEM
175	Ultr-Plex Synthetic Grease EP
157	Ultr-Plex Grease EP NLGI 0
173	Ultr-Plex Grease EP NLGI 1
163	Black Pearl Grease EP NLGI 1
102	FM Greases EP NLGI 0
126	FM Greases EP NLGI 1
129	Ryton Premium Grease EP

APPLN. FILING DATE: March 12, 2004
TITLE: Product Selection Expert System
INVENTOR(S): ADRIAN D'SOUZA ET AL.
APPLICATION SERIAL NO: T-6346

SHEET 21 OF 21